



# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/12/2023 Version: 2.0

**SECTION 1: Identification** 

Identification 1.1.

Product form Mixture

Cable Clear Wipes Product name

Recommended use and restrictions on use 1.2.

Use of the substance/mixture Cleaner

1.3. Supplier

BioChem Systems, Inc. 480 Wildwood Forest Drive

Suite 400

Spring, TX 77380 1 (800) 777-7870

1.4. Emergency telephone number

PERS - (800) 633-8253 Emergency number

## SECTION 2: Hazard(s) identification

## Classification of the substance or mixture

## **GHS US classification**

Flam. Liq. 3 H226 Skin Irrit. 2 H315 Skin Sens. 1 H317 Asp. Tox. 1 H304

#### GHS Label elements, including precautionary statements

**GHS US labeling** 

Hazard pictograms (GHS US)







Signal word (GHS US) Danger

Hazard statements (GHS US) H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Precautionary statements (GHS US)

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, chemical goggles, & face protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Name	Product identifier	%
Terpenes and Terpenoids, sweet orange-oil	(CAS-No.) 68647-72-3	80 – 100

\*In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity or exact weight % has been withheld as a trade secret. 3.2. Mixtures - Not applicable

## **SECTION 4: First-aid measures**

## Description of first aid measures

First-aid measures general

: If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.

First-aid measures after inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.

IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 First-aid measures after skin contact minutes. Get medical attention immediately.

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present First-aid measures after eye contact and easy to do so. Get medical attention immediately. Continue rinsing

10/12/2023 Cable Clear® Wipes Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center

or medical professional. Get medical attention immediately.

Most important symptoms and effects (acute and delayed) 4.2.

Symptoms/effects May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after inhalation May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact Causes skin irritation. May cause an allergic skin reaction. Direct contact with the eyes is likely to be irritating. Symptoms/effects after eye contact

May be fatal if swallowed and enters airways. Symptoms/effects after ingestion

#### Immediate medical attention and special treatment, if necessary 4.3.

No additional information available

#### **SECTION 5: Fire-fighting measures**

## Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Carbon dioxide. Foam. Dry powder. Sand

Unsuitable extinguishing media Do not use a heavy water stream.

Specific hazards arising from the chemical 52

Fire hazard Combustible liquid and vapor. Explosion hazard Product is not explosive.

Reactivity No dangerous reactions known under normal conditions of use.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do

not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained

breathing apparatus.

Guard against spontaneous combustion of improperly discarded oily rags Other information

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained cleaning personnel properly General measures

equipped with respiratory and eye protection. Use special care to avoid static electric charges. Avoid

breathing fumes or vapors. No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment Wear protective equipment as described in section 8.

Evacuate unnecessary personnel. Emergency procedures

For emergency responders 6.1.2.

Protective equipment Approved supplied-air respirator, in case of emergency. Wear suitable protective clothing, gloves and eye or

face protection.

#### **Environmental precautions** 6.2.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### Methods and material for containment and cleaning up 6.3.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Absorb with inert For containment

absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps..

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Wash spill area thoroughly with plenty of soap and water. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Notify authorities if product enters sewers or public waters.

6.4. Reference to other sections No additional information available

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling

Additional hazards when processed Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Provide good ventilation in

process area to prevent formation of vapor. Do not breathe vapors, mist. Keep container tightly closed in a cool place. Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

## Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated area. Keep cool. Protect from sunlight. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking. Used wipes can catch fire if they are disposed

of incorrectly or stored in the vicinity of ignition sources

Strong oxidizing agents. Strong acids.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Incompatible materials

Terpenes and Terpenoids, sweet orange-oil (68647-72-3)		
ACGIH	Remark (ACGIH)	OELs not established
OSHA	Remark (OSHA)	OELs not established

## Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or Appropriate engineering controls other engineering controls to control airborne levels below recommended exposure limits. Use explosionproof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

### Individual protection measures/Personal protective equipment

## Personal protective equipment symbol(s):

## Personal protective equipment:

Gloves. Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. In case of inadequate ventilation wear respiratory protection.







Cable Clear® Wipes 10/12/2023 2/4

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Hand protection:

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified and selected according to regional or national standards. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate PVC, or vinyl. Suitable gloves should be recommended by the glove supplier.

#### Eye protection:

Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.

#### Skin and body protection:

Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

#### Respiratory protection:

Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Cleaning solution

Physical state : Liquid
Appearance : Clear
Color : Clear straw
Odor : Orange

 Odor threshold
 : No data available

 pH
 : No data available

 Melting point
 : <-80°C</td>

 Freezing point
 : No data available

Boiling point : 176 °C
Flash point : 51 °C

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : No data available

Vapor pressure : 2.3 hPa(a) (1.7 mm Hg) @ 20 °C

Relative vapor density at 20 °C : No data available
Relative density : 0.84 @ 20 °C (H2O=1)
Solubility : Water: 5.69 mg/l

Log Pow No data available Auto-ignition temperature No data available No data available Decomposition temperature Viscosity, kinematic No data available Viscosity, dynamic 0.846 mPa·s @ 25 °C Explosive limits 0.7 - 6.1 vol % Explosive properties No data available Oxidising properties No data available

**9.2.** Other information No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Elevated temperature. Prevent vapor accumulation.

### 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Toxic fumes.

## **SECTION 11: Toxicological information**

11.1.	Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

## Terpenes and Terpenoids, sweet orange-oil (68647-72-3)

LD50 oral rat 4400 mg/kg Source: HNSO CCID

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects : May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after inhalation : May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating. Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

10/12/2023 Cable Clear® Wipes 3/4

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 12: Ecological information**

**12.1. Toxicity** Ecology - general

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available. **12.4. Mobility in soil**No information available.

**12.5.** Other adverse effects No additional information available

## SECTION 13: Disposal considerations

Product/Packaging disposal recommendations

## 13.1. Disposal methods

Waste treatment methods

- : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
- Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be

released into the environment.

: No information available.

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

Not regulated for transport. Meets criteria of Special Provision 47.

### Transport by sea (IMDG)

Not regulated for transport. Meets criteria of Special Provision 216.

#### Air transport (IATA)

Not regulated for transport. Meets criteria of Special Provision A46.

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Cable Clear® Wipes		
All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021 or are otherwise exempt, or regulated by other agencies such as FDA or FIFRA		
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Aspiration hazard Health hazard - Skin corrosion or Irritation Health hazard - Respiratory or skin sensitization	

## 15.2. International regulations

No additional information available

#### 15.3. US State regulations

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Other information : Revised by: Regulatory & Compliance.

: Revision: 10/12/2023

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause

temporary incapacitation or residual injury.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire

conditions.

**HMIS Hazard Rating** 

NFPA reactivity

Health : 2 Flammability : 2 Physical : 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.