

Dissolves and removes oil, grease, tar, adhesives and more



FoamaXX[®] is our safe and effective industrial cleaner and degreaser.

FoamaXX[®] aerosol produces a thick, stable foam that clings to vertical surfaces long enough for the degreasing action to occur and **quickly dissolves tough hydrocarbon contaminants.**

FoamaXX is **biodegradable**, **non-toxic**, **non-corrosive and free of chlorinated solvents.** FoamaXX is safe to use on aluminum, tile, chrome, stainless steel and other aerospace, automotive and industrial parts and surfaces.

FoamaXX is ideal for **cleaning and degreasing tight vertical spaces and equipment,** such as motors, walls, vent hoods, and other hard to reach surfaces. Non-Toxic Non-Corrosive Contains No Petroleum Distillates Non-Chlorinated Thick Foam Fresh Citrus Scent

AVAILABLE PRODUCTS

Item #BF1206 - Case of 12 - 17 oz Aerosol Cans



APPLICATIONS

- Metal Parts Cleaning and Degreasing
- Tool and Equipment Cleaning
- Removal of Adhesive Residues
- Tar, Wax and Ink Removal
- Soil and Tree Sap Removal
- Ovens, Grills, and Vent Hood Cleaning





SMART CHEMISTRY*

Replacing hazardous solvents without compromising effectiveness. BioChem Systems 480 Wildwood Forest • Suite 400 Spring, Texas 77380 cservice@biochemsys.com 800-777-7870



Dissolves and removes oil, grease, tar, adhesives and more

DIRECTIONS

- 1. For best results, remove loose dirt and soil from surface.
- 2. Shake well before using.
- 3. Spray directly on surface and let stand for 30 to 60 seconds.
- 4. Wipe away residue with cloth or nylon scrub pad.
- 5. Rinse with water or damp cloth.

Item #	BF1206
Physical State:	Aerosol
Net Contents:	17 oz
Qty per Case:	12
Case Dimensions:	11.5"L x 9"W x 10.75"H
Case Weight:	17 lbs
Scent:	Citrus
Color:	White Foam
Flash Point:	None - Extinguishes Flame
Base Type:	Aqueous Emulsion
Propellant:	Hydrocarbon
Spray Pattern:	Dispersed Foam
VOC Content:	395 g/L
pH:	9.8
Relative Evaporation Rate:	~ 1 (water = 1)
Relative Vapor Density	N/A
Restricted from Sale:	None
California Prop 65 Warning:	Diethanolamine

DANGER: Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure (liver, spleen, bone marrow).


PREVENTION: Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust / fume / gas / mist / vapors / spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, face protection, protective clothing, protective gloves. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse.

RESPONSE: IF SWALLOWED: Immediately call a doctor, a poison center. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice / attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention if you feel unwell.

STORAGE: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122 °F.

DISPOSAL: Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

EMERGENCY TELEPHONE NUMBER PERS: (800) 633-8253



KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY



06102024







Replacing hazardous solvents without compromising rv^{*} effectiveness. BioChem Systems 480 Wildwood Forest • Suite 400 Spring, Texas 77380 cservice@biochemsys.com 800-777-7870